

The best connections when it really counts.

Audio accessories that understand your needs.
- With a significant price advantage!



Headsets

Sound tubes

Hand held controls



Dependable in every situation: Audio accessories from Axcom.

Your safety is important to us. That's why we've made sure that you can rely on our audio accessories when you need them. With robust hand-held controls, modern headsets and sophisticated technology, we help ensure that your listening is successful. And that you are on the safe side when it comes to reliable radio communications.

High-quality materials and careful workmanship guarantee the best quality and stability in every situation. It is not for nothing that Axcom audio accessories have already proven themselves a thousand times over. For police, firefighters and security forces all over the world.

30%
more
performance

30%
lower costs

100%
quality

In addition to a comprehensive range of manufacturer-specific original articles at fantastic prices, we also offer clever solutions in Axcom quality - tested and put through their paces. In this catalogue we would like to present you with a selection of Axcom's comprehensive portfolio. You can also find all of our products in our online shop under www.axcom-shop.de

- :: Quick delivery
- :: Significant price advantage
- :: In-house quality control
- :: 12 month guarantee
- :: Technical support
- :: Custom-made on request



Contents

	Page
Hand controls	
XSMP10	4
XSMP1010	5
XSMP5000/XSMP5000-Y	6
XSMP6000	7
XSMP8000	8
Receiver / transmitter units	
XEMP2000	9
XEMP2038	10
XEMPT18	11
XHPB440	12
XHS20-NE/XHS21-NE	13
Earphones	
XEC100SL	4
XEC138W	15
HEAD PHONE	16
XEP200	16
XEP306	17
Optional accessories / Spare parts	
from page	18
Connection options	
from page	21

Item No. XSMP10

Hand control for harsh and wet environment (IP56)

- Robust, partially rubberised casing with large PTT switch
- Large, fixed and 360° rotatable mounting clip (8 positions)
- High-quality PU cable and quality bend reliefs for long-term use
- High quality microphone (condenser type) and powerful speaker for clear communication
- 3.5 mm accessory port for optional accessories



Rotatable mounting clip



partially rubberised casing



Large PTT switch



3.5 mm accessory connection



Figure size 1:1

Item No. XSMP10			
TECHNICAL INFORMATION			
Weight:	190 g	Cable length:	600 mm
Dimensions:	90.0 x 59.6 mm	Cable cross-section:	Ø 5.5 mm
Dimensions mounting clip:	54.2 x 22.2 mm	Cable material:	PU
ELECTRONIC DATA			
Microphone:		Loudspeakers:	
Dimensions:	Ø 6.0 x 5.0 mm	Dimensions:	Ø 40 mm
Sensitivity:	-40dB ± 3dB	Impedance:	8 Ohm ± 15%
		Maximum power:	1.0 W

available with the following connectors: B10A, I, S, K, K1, M, M10, MG1, MG2, SP3, (Other connector types available on request)

Matching products:

XEC100SL / Page 14

XEP200M / Page 16



Lightweight, small hand-held unit with impact-resistant casing (IP54)

- Ergonomic design and easy operation of the PTT switch
- Large, fixed and 360° rotatable mounting clip (8 positions)
- High-quality PU cable and quality bend reliefs for long-term use
- High quality microphone (condenser type) and powerful speaker for clear communication
- 3.5 mm accessory port for optional accessories



Figure size 1:1

Item No. XSMP1010			
TECHNICAL INFORMATION			
Weight:	110 g	Cable length:	500 mm
Dimensions:	72.2 x 48.7 mm	Cable cross-section:	Ø 3.8 mm
Maße Befestigungsclip:	40.6 x 22 mm	Cable material:	PU
ELECTRONIC DATA			
Microphone:		Loudspeakers:	
Dimensions:	Ø 6.0 x 5.0 mm	Dimensions:	Ø 36 mm
Sensitivity:	-40dB ± 3dB	Impedance:	8 Ohm ± 15%
		Maximum power:	1.0 W

available with the following connectors: SR, SRS, K, K1, M, M10, MG1, MG2, SP3 (Other connector types available on request)

Item No. XSMP1010



Rotatable mounting clip



Easy to use PTT switch



3.5 mm accessory connection

Matching products:

XEC138W / Page 15

XEC100SL / Page 14

XEP200M / Page 19



Item No. XSMP5000/-Y

Hand control for harsh and wet environment (IP56)

- Robust, partially rubberised casing with a PTT switch on the top side
- Large loudspeaker with PTT switch function
- Second microphone for ambient noise suppression
- Large, fixed and 360° rotatable mounting clip (8 positions)
- High-quality PU cable and quality bend reliefs for long-term use
- High quality microphone (capacitor type) and a powerful speaker for clear communication
- 7.1 mm NEXUS accessory port for optional accessories



Lateral PTT switch



Large PTT switch (also in yellow for the Y variant)



7.1 mm Accessory connection (NEXUS)



Rotatable mounting clip

Figure size 1:1

Item No. XSMP5000/XSMP5000-Y

TECHNICAL INFORMATION

Weight:	200 g	Cable length:	500 mm
Dimensions:	101.0 x 66.7 mm	Cable cross-section:	Ø 5.5 mm
Maße Befestigungsclip:	54.2 x 22.2 mm	Cable material:	PU

ELECTRONIC DATA

Microphone:		Loudspeakers:	
Dimensions:	Ø 6.0 x 5.0 mm	Dimensions:	Ø 40 mm
Sensitivity:	-45dB ± 3dB	Impedance:	8 Ohm ± 15%
		Maximum power:	1.0

available with the following connectors: SP3, M10, MG1, MG2 (Other connector types available on request)

Matching products:

XHS21-NE / Page 13

XEC100NE / Page 14



Manual control for all-weather operation (IP55)

Item No. XSMP6000

- Robust, highly impact-resistant casing
- Emergency button in contrasting colours
- Large, fixed, removable and 360° rotatable mounting clip (8 positions)
- High-quality PU cable and quality bend reliefs for long-term use
- High quality microphone (capacitor type) and a powerful speaker for clear communication
- 3.5 mm accessory port for optional accessories



Emergency button, coloured, highlighted



Removable, rotatable mounting clip



3.5 mm accessory connection

Figure size 1:1

Item No. XSMP6000

TECHNICAL INFORMATION

Weight:	210 g	Cable length:	500 mm
Dimensions:	80 x 67 mm	Cable cross-section:	Ø 5.5 mm
Maße Befestigungsclip:	42.5 x 22 mm	Cable material:	PU

ELECTRONIC DATA

Microphone:		Loudspeakers:	
Impedance:	2kOhm	Dimensions:	Ø 45 mm
Sensitivity:	-58dB	Impedance:	8 Ohm ± 15%
		Maximum power:	2.0 W

available with the following connectors: SP3

Matching products:

EX100SL / Page 14

XEC100NE / Page 17



NEW - variant with improved volume!

Item No. XSMP8000

Hand control for harsh and wet environment (IP67)

- Robust, highly impact-resistant casing
- Emergency call and volume buttons in contrasting colours
- Rubberised, consistently pushable talk button
- Quality microphone (electret condenser type) and powerful speaker for clear communication
- Large, fixed and 360° rotatable mounting clip (8 positions)
- High-quality PU cable and quality bend reliefs for long-term use
- 3.5 mm accessory port for optional accessories



Rotatable mounting clip



Emergency call button highlighted in colour



Volume controller highlighted in colour



3.5 mm accessory connection



Figure size 1:1

Item No. XSMP8000

TECHNICAL INFORMATION

Weight:	190 g	Cable length:	500 mm
Dimensions:	72.0 x 59.0 mm	Cable cross-section:	Ø 5.5 mm
Dimensions belt clip:	59.0 x 24.0 mm	Cable material:	PU

ELECTRONIC DATA


Microphone:		Loudspeakers:	
Dimensions:	Ø 6.0 x 5.0 mm	Dimensions:	Ø 45 mm
Sensitivity:	-52dB ± 3dB	Impedance:	8 Ohm ± 15%
		Maximum power:	2.0 W

available with the following connector: SP3, M10

Sound tube headset

- With remote microphone / transmit switch unit (**2 cable solution**)
- Soft earphone for clear communication even in noisy environments
- Acoustic tube earphone and easily changeable, for hygienic multi-user use
- Quality industrial quality cable with Kevlar® material and reinforced with high-quality bend reliefs for a long life
- Microphone / PTT switch unit for use in the hand ergonomically and 360° rotating metal clip for fastening and under the clothing
- Replacement ear tips inclusive

NEW! NEW! NEW!
Version with higher
loudspeaker power!



Item No. XEMP2000



Concealed microphone position on the front side



Ergonomically shaped microphone / PTT switch unit



Soft, easily exchangeable acoustic tube and ear tip

Item No. XEMP 2000SL

TECHNICAL INFORMATION

Weight:	90 g	Cable length:	900 mm
		Cable cross-section:	Ø 2.5 / 3.8 mm
		Cable material:	PU

ELECTRONIC DATA

Microphone:		Loudspeakers:	
Dimensions:	Ø 9.7 x 6.7 mm	Dimensions:	Ø 16 mm
Sensitivity:	-40dB ± 3dB	Impedance:	16 Ohm ± 15%
		Maximum power:	1.5 W

available with the following connectors: B10A, I, K, K1, M10, MG, MG1, MG2, MG3, MP, MT, MTH1, MTH2, MV, S, SP3, Y3 (Other connector types available on request)



Matching products:

XEC100SL / Page 17

XEP300-35W/ Page 21



NEW - variant with improved volume!

Matching products:

XEMP2000TUBE-SL / Page 19

XEMP2000TIP / Page 18

XEMP510TUBE / Page 19



Item No. XEMP2038

Sound tube headset



enhanced sound transducer



high quality cable fixation



Sound tube with replacement ear olive



Example

- Soft earphone for clear communication even in noisy environments
- Acoustic tube earphone and easily changeable, for hygienic multi-user use
- Quality industrial quality cable with Kevlar® material and reinforced with high-quality bend reliefs for a long life
- Microphone for safe use with 360° rotating metal clip for attaching to clothing
- two cable solution with bayonet connection and cable fixation for secure hold and quick replacement of the sound tube and the cable connection
- Replacement ear tips inclusive



Item No.: XEMP 2038

TECHNICAL INFORMATION

Weight:	100 g	Cable length:	ca. 1000 mm
		Cable cross-section:	Ø 2.6 / 2.5 mm
		Cable material:	PU

ELECTRONIC DATA

Kikrofon:		Loudspeakers:	
Dimensions:	Ø 9,7 x 6,7 mm	Dimensions:	Ø 16 mm
Sensitivity:	-40dB ± 3dB	Impedance:	16 Ohm ± 15%
		Maximum power:	1.5 W

available with the following connectors: M, M10, SP, SP3
(Other connector types available on request)

Modular microphone / PTT switch unit

- Suitable for combination with various earphones
- Metal retaining clip rotates 360°, rubber-coated tips
- Handy case and PTT switch with locking option
- 3.5 mm Jack for earphones to the top side
- 2.5 mm accessory port for optional PTT switches



Figure size 1:1

Item No. XEMPT18



3.5 mm Accessory port



2.5 mm Connector for optional PTT switch



Rotatable mounting clip with rubberised tips and lockable talk button

Item No. XEMPT18

TECHNICAL INFORMATION

Weight:	20 g	Cable length:	700 mm
		Cable cross-section:	Ø 2.6 mm
		Cable material:	PU

ELECTRONIC DATA

Microphone:			
Dimensions:	Ø 6.0 x 3.5 mm		
Sensitivity:	-40dB ± 3dB		

available with the following connectors: M7, SP3 (Other connector types available on request)



Matching products:

XEMP2038TUBE / Page 19

XEMP2000TIP / Page 18

XEMP510TUBE / Page 19



Matching products:

XEC100SL / Page 14

HEAD-PHONE / Page 16

XEC138W / Page 15

XEP200M / Page 16




NEW - variant with improved volume!

Item No. XHPB440

Occipital / neck band headset

- Lightweight and comfortable headset solution with adjustable neckband and cushioned ear hook and high-quality loudspeaker module
- Gooseneck microphone with noise suppression, can be set individually
- Rubberised PTT unit in non-slip casing
- 360° rotatable clip



Adjustable neck band



Rotatable clip



Rubberised PTT switch



Item No. XHPB440

TECHNICAL INFORMATION

Weight:	100 g	Cable length:	1000 mm
		Cable cross-section:	Ø 2.6 mm
		Cable material:	PU

ELECTRONIC DATA

Microphone:		Loudspeakers:	
Dimensions:	Ø 6.0 x 5.0 mm	Dimensions:	Ø 15 mm
Sensitivity:	-40dB ± 3dB	Impedance:	32 Ohm ± 15%
		Maximum power:	50 mW

available with the following connectors: K1, M, M10, MG2, TH2, SP3, Y3
(Other connector types available on request)

Item No. XHS21-NE

Skull microphone with earphone and NEXUS plug

- easy mounting in helmets
- Flexible assembly tape
- Microphone and speaker removal for alternative mounting on the helmet kit



Item No. XHS20/21-NE

TECHNICAL INFORMATION

		Kabelquerschnitte:	Ø 2.5/3.1/5.5 mm
		Cable material:	PU

ELECTRONIC DATA

Microphone:		Loudspeakers:	
Dimensions:	Ø 19.0 x 6.5 mm	Dimensions:	Ø 23 mm
Sensitivity:	-35 dB ± 3dB	Impedance:	32 Ohm ± 10%

with connector Nexus (NE)

Matching products:

XSMP5000 / Page 6

XHS-HMS
Helmet mounting kit

Item No. XEC100SL

Earphone with acoustic tube

- Acoustic tube earphone for semi-concealed carrying manner
- Very good understanding in noisy environments
- Light weight
- Easily replaceable ear tips and separable sound tube and cable connection (cable industry quality PU)
- Replacement ear tips inclusive



Rotatable mounting clip



Removable sound transducer



Replaceable ear tips

Item No. XEC100SL

TECHNICAL INFORMATION

Earphones:	Earphone with acoustic tube	Cable type:	straight or coiled cable
Plug type:	Angle / straight / screwed	Cable length:	32 cm/80 cm
Connector size:	2.5/3.5 mm		

Earphone with acoustic tube

Item No. XEC138W

- Acoustic tube earphone for semi-concealed carrying manner
- soft earphones for clear communication even in noisy surroundings
- Sound tube and earphones easily exchangeable via secure bayonet connector for hygienic multi-user use
- Cable fixing to the transducer ensures a secure hold



Item No. XEC100SL

TECHNICAL INFORMATION

Earphones:	Earphone with acoustic tube	Cable type:	straight or coiled cable
Plug type:	Angle / straight / screwed	Cable length:	32 cm/80 cm
Connector size:	2.5/3.5 mm		

Connection options

Item No. XEC100/138

XEC100MV	3.5 mm plug/ ideal for combination with hand-held keypads (G. variants)
XEC100MV-SL	3.5 mm plug (threaded versions) / improved volume
XEC100S	3.5 mm plug/ideal for combination with hand-held keypads
XEC100SL	3.5 mm straight plug/90 cm cable / improved volume
XEC100W	3.5 mm angled plug/ideal for combination with hand-held keypads
XEC138W	3.5 mm angled plug, earphone with acoustic tube/sound transducer wir bayonet connector



XEC100S
Suitable for hand control with 3.5mm connector without thread



XEC100MV
Suitable for hand control with 3.5mm connector with thread i.e. for SEPURA

Matching products: XEC138W / Page 15 XEMP2000TIP / Page 18 XEMP510TUBE / Page 19 XEMP2038TUBE / Page 19



Item No. HEAD PHONE Stereo headset



- ideal combination with XEMPT18
- Light weight
- Industrial quality cable made of PU



Item No. HEAD-PHONE			
TECHNICAL INFORMATION			
Earphones:	Earphones (Walkman type)	Kabeltype:	straight
Plug type:	straight	Cable length:	90 cm
Connector size:	3.5 mm		

Item No. XEP200




Earphones adjustable

Earphones with rubber strap

- Earphones with rubber strap (double adjustable) for individual adaptation to the ear
- Ideal for long wearing period and clear communication
- Industrial quality cable made of PU

Figure size 1:1



flexible rubber strap

Item No. XEP200			
TECHNICAL INFORMATION			
Earphones:	Earphone with acoustic tube	Cable type:	straight
Plug type:	Angle / straight	Cable length:	90 cm/140 cm
Connector size:	2.5/3.5 mm		

Connectivity

XEP200K-A	2.5 mm angled plug
XEP200K-S	2.5 mm plug
XEP200M	3.5 mm angled plug/ideal for combination with hand-held keypads
XEP200MV	3.5 mm plug/ideal for combination with hand-held keypads
XEP200MV-140	3.5 mm plug/cable length 140 cm
XEP200MV-90	3.5 mm plug/cable length 90 cm

D-Shape ear-hook earphones (open and adjustable)

- Adjustable D-shape earphones for easy handling and clear communication
- Rotating cord connection
- Light weight
- Industrial quality cable made of PU



Figure size 1:1

Item No. XEP306			
TECHNICAL INFORMATION			
Earphones:	Earphones (Walkman type)	Cable type:	gerade
Plug type:	straight	Cable length:	140 cm/35 cm, incl. 20 cm spiral length
Connector size:	2.5/3.5 mm		

Connectivity

XEP306-35W	3.5 mm angled plug/cable length 35 cm, incl. 20 cm spiral length
XEP306-35W-S	3.5 mm angled plug/cable length 140 cm
XEP306-25W	2.5 mm angled plug/cable length 35 cm, incl. 20 cm spiral length

PTT-Intermediate cable set

- For use between mobile phone and earphones
- Two-cable design allows hidden use under clothing
- Microphone is (unlike classic headsets) muted and is only activated by pressing the PTT-button



Item No. XPTT

Item No. XPTT			
TECHNICAL INFORMATION			
Earphones:	PTT for mobile phones	Kabeltype:	straight
Plug type:	straight	Cable length:	180 cm
Connector size:	3.5 mm	Material:	PU



Adjustable rubber strap



Rotatable Cord connection

Item No. XPT17

PTT

- Development of special audio accessories
- Tailored to customer needs



PT17

Replacement ear tip

Item No. XEMP2000TIP-100

- Replacement ear tip, simple slat / VPE 100 pieces



Replacement ear tip

Item No. XEMP2000TIP2-100

- Replacement ear tip, double slat / VPE100 pieces



Item No. XEFI-ML

Earphones use

- Flexible earphone use of medium size for the left ear
- Only to be used for the following hearing/ headset models:
XEMP2000/XEC100 Series



Replacement acoustic tube

Item No. XEMP510Tube

- Replacement acoustic tube with transducer unit for **XEMP2000 / XEC100 series**



Item No. XEFI-MR

Earphones use

- Flexible earphone use medium size for the right ear
- Only to be used for the following hearing/ headset models:
XEMP2000/XEC100 Series



Replacement acoustic tube with transducer unit

Item No. XEMP2000Tube-SL

- Replacement acoustic tube for **XEMP2000/3500, XEC100S Series**
- With 2 replacement ear tips, skin colour + 1 angle piece



Replacement ear tip

- Replacement ear tip, simple slat / 2-pack / 1 angle-piece included



Item No. XEMP2000TIP

Replacement acoustic tube

Item No. XEMP2038TUBE

- Replacement acoustic tube XEMP2000, XEC100 Serie
- 2 ear tips, skin color + 1 angle piece



Item No. XLGRMTP850

Quick disconnect Hirose 12 adapter for Motorola MTP850

- Eases the connection and disconnection of the headset accessories (e.g. XEMP2038) from the MTP850.
- The plug is screwed in and the headset accessories can be quickly disconnected from the radio via a bayonet-action connection.



Item No. XLGRSP3

Quick disconnect Hirose connector for Sepura STP8000/STP9000












- Eases the connection and disconnection of the headset accessories (e.g. XEMP2038) from the STP8000 and STP9000.
- The plug is screwed in and the headset accessories can be quickly disconnected from the radio via a bayonet-action connection.



MANUFACTURER	MODELS	CONNECTION ID	FIGURE
BOSCH	FUG10/10A/13A/11B	B10A	
ICOM	IC-F30G, F30GT, F30GS, F31GS, F31GT, F40G, F40GS, F40GT, F50/51, F60, F70, F80, IC-M88, FUG 11b, IC F3062-S	I	
	IC-F50/60/51/61	I2	
	IC-F3, F3S, F4, F4S, F4TR, H2, H6, H16, J12, U12, U16, IC-M5, IC-4008A, 40088A	S	
	IC-F3G, F3GS, G3GT, F4G, F4GS, F4GT, F43GS, F43GT, F43TR, F11, F11S, F21, F21S, F31, IC-V8, IC-F21BR, F21GM	SR	
KENWOOD	F-14, 24, F33GIC-F3G, F-51, 61, IC-F3GS, G3GT, F4G, F4GS, F4GT, F43GS, F43GT, F43TR, F11 F11S, F21, F21S, F31, IC-V8, IC-21FBR, F21GM	SRS	
	TK-208, 2100(ProTalk), 2103(ProTalk), 2130(ProTalkXLS), 2160, 220, 240, 240D, 248, 250, 260, 260D, 260G, 270, 2107, 3107, 272G, 308, 3100(ProTalk), 270G, 3160, 320, 340, 3101(FreeTalk), 3102(ProTalk), 3130(ProTalkXLS), 3131, (FreeTalkXLS), 340D, 348, 350, 353, 360, 360G, 370, 370G, 372G, 373, 4303 431, Double-pawl TH-22AT, 235A, D7A(G), F6, G71A, K2AT, 77A, 78A, 28A, 48A, 42AT	K	
KENWOOD	TK-190, 280, 290, 380, 390, 480, 481, 2140, 2180, 3140, 3180, 5210, FUG 11b	K1	
	MAXON	SL100, Legacy Series	MX
MOTOROLA	BRP-40; CLS-1110, 1410, 1413(Canada), CP-88, CP 040, 100, CLS-1450C, 1453C(Canada), CP150, 200, CT125, 150, 250, 450, 450LS, GP2000, GP300, GP600, 300, 308, 68, 88, GTI, GTX, LTS2000, PO40, 80, P100, 1225, 1225LS, PRO3150, PR400, P200, 2000, SP10, 21, 50, XTN446, 500, 600, XTN, XV1100, 2100, 2600, XU1100, 2100, 2600, DP1400	M	
	XPR6300, XPR6500, XPR6550, DP-3400, DP4400/4600/4800, MTP850, MTP850FuG, MTP6550, MTP6650, MTP6750	M10	

THE BASIS OF OUR SUCCESS IS THE SUCCESS OF OUR CUSTOMERS.

WE ARE THE
BATTERY PEOPLE:
WE SUPPLY
ENERGY
WHEREVER
PEOPLE NEED IT.

MANUFACTURER	MODELS	CONNECTION ID	FIGURE
MOTOROLA	EX500, 600, 600XLS, GL2000, GP328PLUS, 338PLUS, GP344 , GP388 , PRO5151Elite	MG	
	GP1280, 140, 320 , 328, 329, 338, 339, 340, 360 , 380 , 640, 650, 680, 960, HAT1250, 1250LS, 1550, 1550XLS, 750, MTX8250, 8250LS, 850, 850LS, 9250, 950, PRO5150, 5350, 5450, 5550, 5750, 7150, 7350, 7450, 7550, 7750, 9150, PTX700, 760, 780	MG1	
	GP900/1200 , 9000 , HT1000, JT1000, HT 1000, MT2000, MTS2000 Series, MTX8000, 838, 900, 9000, 960, MTX-LS, XTS1500, 1500, 2000, 2500, 3000, 3500, 5000, FUG 11b	MG2	
	DP2400/2600 MTP3000/3200/3150/3250/3500/3550	MP	
	VISAR Series 3.5 mm threaded jack	MT MV	
NEXTEL TETRA (MOTOROLA)	MTH650/800, Nextel Falcon Series	MTH1	
NEXTEL TETRA (SEPURA)	SPR2000, SRH3900	SP	
SEPURA	STP8000 , STP9000 , SC20	SP3	
VERTEX	3.5 mm jack plug HX 380, VX-170/177, VX-120/127, VX-6R, VX-7R	Y6	
	MH-360M, MH-450M, MH-50A7A, VH-110, VH-115M, VH-120/130/215M/225M, VX-530, VX-600, VX-800, VX-900	Y2	
	VX-160, VX-180, VX-210, VX-265, VX-210A, VX-350, VX-400	Y3	

Our product range:

- Batteries for tools
- Batteries for camcorders
- Batteries for medical technology
- Batteries for flash lights / headlamps
- Batteries for warning and emergency lights
- Batteries for DECT telephones
- Primary batteries / single cells
- Batteries for scanners / hand-held devices
- Batteries for E-bikes
- Batteries for radios
- Lead-acid batteries
- Exchange of cells

Our Products

Batteries for medical equipment, accessories for medical equipment, batteries for two-way radios and pagers, accessories for two-way radios, camera batteries, spotlight batteries, control system batteries, batteries for power tools, batteries for scanners, scanner accessories, batteries for mobile printers, batteries for radar measuring equipment, lead batteries, battery chargers, single cells, hearing aid batteries, primary batteries, button cells, custom battery solutions, cell replacement

Our Services

- :: Structured organization of product management, purchasing, technology, quality assurance, sales & distribution, marketing, and logistics – always with the aim of providing our customers with the best products at the right moment in time.
- :: Thanks to a wide-ranging presence on the market, the members of our dedicated sales team always have the latest information and are always pleased to share their knowledge and expertise with our customers.
- :: Our engineers and technologists are always ahead of the latest developments in the battery-technology segment. This ensures that our products are technically always one step ahead.
- :: Thanks to the direct telephone or face-to-face dialog between our technical staff and our customers, we know our customers' specific requirements and can offer them optimum solutions.
- :: We offer our customers support for their own marketing activities with a range of marketing media and sales documentation.

Quotations Service

- :: We take your specific needs into account and make you a precisely tailored offer.

Efficient Delivery

- :: Our extensive warehouse inventory enables us to deliver the majority of our products to customers across Germany within 24 hours of ordering. Please contact us for individual delivery times for other European countries and the rest of the world.

At Axcom, We Have the Highest-Quality Accessories for Your Operational Equipment!

Contact

Tel.: +49-2154-4838-0 or 0800-253-98-35

Fax: +49-2154-4838-444 or 0800-253-93-29



axcom
Battery Technology

03_2019

Our General Terms & Conditions apply. All products are alternative products or our own replicates, and are not original products made by the respective equipment manufacturers. In some cases, the brand names and company names shown are registered trademarks and serve only to indicate compatibility. No liability is assumed for mistakes or printing errors.

axcom GmbH Carl-Friedrich-Benz-Strasse 15 47877 Willich Germany Tel.: +49-2154-4838-0
Fax: +49-2154-4838-444 E-mail: info@axcom.de www.axcom.de

